

Litteraturliste

Abrahamsen B et al. 1997, "Site of Osteodensitometry in Perimenopausal Women: correlation and Limets og Agreement Between Anatomic Regions", *Journal of Bone and Mineral Research* 1997;12(9):1471-1479.

Adolfsson B 2004, *Obesity, Life Style and Society. Psychological and psychosocial factors in relation to body weight and body weight changes*, The Department of Medicine, Karolinska Institutet.

Andersen JK et al. 2003, *Helhedssyn på fisk og fiskevarer*, Fødevedirektoratet.

Andersen LB 1995, "A maximal cycle exercise protocol to predict maximal oxygen uptake", *Scandinavian Journal of Medicine and Science in Sports* 1995;5(3):143-146.

Andersen LB et al. 2000, "All cause mortality associated with physical activity during leisure time, work, sports, and cycling to work", *Archives of Internal Medicine* 2000;160:1621-1628.

Alexander J et al. 2004, *Nordic Nutrition Recommendations, Integrating nutrition and physical activity*, Norden.

Astrup AV et al. 2005, *Kostrådene 2005*, Ernæringsrådet og Danmarks Fødevareforskning.

Astrup AV, Rössner S & Sørensen TIA 2006, "Alternative årsager til fedme", *Ugeskrift for Læger* 2006;168(2):135-137.

Backer TE 1995, "Assessing and enhancing readiness for change: implications for Technology Transfer". I: Backer, TE, David SL, Saucy G, red. *Reviewing the behavioral science knowledge base on Technology Transfer*, NIDA – Research Monographs 1995;155:21-41.

Baum F 2002, *Survey research methods in public health. The new public health*. Oxford University Press.

Bauman AE 2004, "Updating the evidence that physical activity is good for health: an epidemiological review 2000 – 2003", *Journal of Science and Medicine in Sport* 2004;7(1 suppl):6-19.

Bellisle F, McDevitt R & Prentice AM 1997, "Meal frequency and energy balance", *British Journal of Nutrition* 1997;77(suppl.1):57-70.

Björntorp P 1985, "Regional patterns of fat distribution", *Annals of Internal Medicine*, 1985;103(6):994-995.

Blair SN et al. 1989, "Physical Fitness and All-Cause Mortality. A Prospective Study of Healthy Men and Women", *Journal Of the American Medical Association* 1989;262(17):2395-2401.

Bogin RM, Nostrant TT & Young MJ 1987, "Propranolol for the treatment of the alcoholic hangover", *American Journal of Drug and Alcohol Abuse* 1987;13:175-180.

- Boonen S et al. 2003, "Identifying postmenopausal women with osteoporosis by calcaneal ultrasound, metacarpal digital X-ray radiogrammetry and phalangeal radiographic absorptiometry: a comparative study", *Osteoporosis International* 2005;16:93-100.
- Borg G 1998, "The Borg RPE Scale". I: Lane B, Rhoda J, Bott SM, Mitchell C, Sevensen T, Bodja K (red). *Borg's Perceived Exertion and Pain Scales*. *Human Kinetics*;29-39.
- Borg G 1970, "Perceived exertion as an indicator of somatic stress". *Scandinavian Journal of Rehabilitation Medicine* 1970;2(2):92-98.
- Bouchard C et al. 1998, "Familial resemblance for VO₂max in the sedentary state: The HERITAGE family study", *Medicine & Science in Sports & Exercise* 1998;30(2):252-258.
- Braithwaite D et al. 2003, "Using the Internet to conduct surveys of health professionals: a valid alternative?" *Family Practice* 2003;20(5):545-551.
- Brenneman SK et al. 2006, "Impact of recent fracture on health-related quality of life in postmenopausal women", *Journal of Bone and Mineral Research* 2006;21(6):809-816.
- Brixen K et al. 2000, *Osteoporose. Klaringsrapport nr. 10*, Dansk Knoglemedicinsk Selskab.
- Buch I, Oturai P & Jensen LT 2006, *Radiographic absorptiometry for pre-screening of osteoporosis in patients with low energy fractures*, Poster ved The 27th World Congress of Biomedical Laboratory Science, Seoul, Korea 2006.
- Clemmensen IH et al. 2005, *Passiv rygning. Hvidbog om passiv rygning udgivet af 16 sundhedsfaglige organisationer*.
- Corrao G et al. 2004, "A meta-analysis of alcohol consumption and the risk of 15 diseases", *Preventive Medicine* 2004;38(5):613-619.
- Damrau F & Liddy E 1960, "Hangovers and whiskey congeners. Comparison of whiskey with vodka", *Journal of the National Medical Association* 1960;52:262-265.
- Danmarks Statistik 2007, *Danmarks Statistikbank*. Lokaliseret oktober 2008 på: www.statistikbanken.dk
- Danmarks Statistik 2008, *Danmarks Statistikbank*. Lokaliseret marts 2008 på: www.statistikbanken.dk
- Danmarks Statistik 2008, *Forskerbeskyttelse i CPR 2008*. Lokaliseret september 2009 på: http://www.dst.dk/upload/notat_om_forskerbeskyttelse_2008.pdf
- De Lorenzo A et al. 2006, "Normal weight obese (NWO) women: An evaluation of a candidate new syndrome", *Nutrition, metabolism & Cardiovascular Diseases* 2006;16,513-525.
- DuRant RH et al. 1994, "The relationship among television watching, physical activity, and body composition of young children", *Pediatrics* 1994;94:449-455.
- Ekholm O et al. 2006, *Sundheds- og sygelighed i Danmark 2005 & udviklingen siden 1987*, Statens Institut for Folkesundhed.
- El-Desouki MI, Sherafzal MS & Othman SA 2005, "Comparison of bone mineral density with dual energy x-ray absorptiometry, quantitative ultrasound and single energy x-ray absorptiometry", *Saudi Medical Journal* 2005;26(9):1346-1350.

- Fagrell B et al. 1999, "The effects of light to moderate drinking on cardiovascular diseases", *Journal of Internal Medicine* 1999;246:331-340.
- Fagt S et al. 2004, Udviklingen i danskernes kost 1985-2001 med fokus på sukker og alkohol samt motivation og barrierer for sund livsstil, Danmarks Fødevarer- og Veterinærforskning.
- Fagt S et al. 2008, Danskernes kostvaner 1995-2006 – Status og udvikling med fokus på frugt og grønt samt sukker, DTU Fødevarerinstitutionen.
- Fangel S, Linde PC & Thorsted BL 2007, "Nye problemer med repræsentativitet i surveys, som opregning med registre kan reducere", *Metode & Data* 2007;93:14-26.
- Fayers PM & Machin D 2001, *Quality of life – Assessment, Analysis and Interpretation*, Wiley.
- Forsén L et al. 2008, "Differences in precision in bone mineral density measured by SXA and DXA: the NOREPOS study", *European Journal of Epidemiology* 2008;23:615-624.
- Fødevarestyrelsen 2000, *Du er måske for sød*, Ministeriet for Fødevarer, Landbrug og Fiskeri.
- Fødevarestyrelsen 2006. Lokaliseret juli 2009 på: http://www.altomkost.dk/Mad_hjemme/Maaltider_og_vaner/Mellemmaaltider/forside.htm
- Fødevarestyrelsen 2007. Lokaliseret februar 2008 på: <http://www.altomkost.dk/Services/Nyhedsrum/Nyheder/2005/huskmorgenmaden.htm>
- Gallagher D et al. 2000, "Healthy percentage body fat ranges: an approach for developing guidelines based on body mass index", *American Journal of Clinical Nutrition* 2000;72:694-701.
- Gerlach J 2003, *Søvn: om betydningen af en god nattesøvn og om søvnmekanismer, søvnproblemer og søvnbehandling*, Psykiatrifonden, København.
- Giskes K et al. 2005, "Trends in smoking behaviour between 1985 and 2000 in nine European countries by education", *Journal of Epidemiology and Community Health* 2005;59:395-401.
- Groth VG et al. 1999, *Danskernes kostvaner 1995 – Mad og Måltider*, Fødevarerinstitutionen.
- Groth VG & Fagt S 2003, *Danskernes kostvaner. Måltidvaner, holdninger, sociale forskelle og sammenhæng med anden livsstil*, Fødevarerinstitutionen.
- Groth VG et al. 2009, *Danskernes måltidsvaner, holdninger, motivation og barrierer for at spise sundt 1995-2008*, DTU Fødevarerinstitutionen.
- Grundy S & Denke M 1990, "Dietary influences on serum lipids and lipoproteins", *Journal of Lipid Research* 1990;31:1149-1172.
- Grønbæk M. 2004, "Alkoholforbrug i Danmark – folkesundhedsmæssige udfordringer og videnskabelige spørgsmål", *Ugeskrift for Læger* 2004;166:1573-1576.
- Guralnik JM et al. 1994, "A short physical performance battery assessing lower extremity function: Association with self-reported disability and prediction of mortality and nursing home admission", *The Journals of Gerontology; Series A; Biological sciences and medical sciences* 1994;49(2):M85-M94.
- Hawe et al. 1997, "Multiplying health gains: The critical role of capacity building within health promotion programs", *Health Policy* 1997;39:29-42.

- Hallund J et al. 2007, Frugt, grønsager og sundhed. Opdatering af vidensgrundlaget for mængdeanbefalinger 2002-2006, DTU Fødevareinstituttet.
- Helweg-Larsen K et al. 2009, Slidgigt. Forekomst og risikofaktorer. Udviklingen i Danmark, Statens Institut for Folkesundhed, Syddansk Universitet.
- Holstein BE, Ito H & Due P, Rygevaner blandt 11-15 årige i 1988. "Undersøgelse af rygevaner og deres sammenhæng med sociale baggrundsfaktorer, helbred, trivsel og socialt netværk", Ugeskrift for Læger 1990;152:2651-2654.
- Huisman M et al. 2005, "Educational inequalities in smoking among men and women aged 16 years and older in 11 European countries", Tobacco control 2005;14:106-113.
- Idler EL & Benyamini Y 1997, "Self-rated health and mortality: A review of twenty-seven community studies", Journal of Health and Social Behaviour 1997;38:21-37.
- Iversen L et al. (Red.) 2002, Medicinsk sociologisamfund, sundhed og sygdom, Munksgaard.
- Johnell O et al. 2005, "Predictive Value of BMD for Hip and Other Fractures", Journal of Bone and Mineral Research 2005;20(7):1184-1194.
- Johnell O & Kanis J 2005, "Epidemiology of osteoporotic fractures", Osteoporosis international 2005;16:3-7.
- Juel K, Sørensen J & Brønnum-Hansen H 2006, Risikofaktorer og folkesundhed i Danmark, Statens Institut for Folkesundhed.
- Jørgensen ME & Rosenlund M 2005, National monitorering af den officielle anbefaling om fysisk aktivitet – Et metodestudie, Statens Institut for Folkesundhed.
- Kamper-Jørgensen F & Almind G (Red.) 2009, Forebyggende sundhedsarbejde, Munksgaard.
- Kampert JB et al. 1996, "Physical activity, physical fitness, and all-cause and cancer mortality: a prospective study of men and women", Annals of Epidemiology 1996;6(5):452-457.
- Kanis JA 2002, "Diagnosis of osteoporosis and assessment of fracture of risk", Lancet 2002;359:1929-1936.
- Kelly TL, Crane G & Baran DT 1994, "Single X-ray absorptiometry of the forearm: precision, correlation, and reference data", Calcified Tissue International 1994;54(3):212-218.
- Keski-Rahkonen A et al. 2003, "Breakfast skipping and health-compromising behaviors in adolescents and adults", European Journal of Clinical Nutrition 2003;57:842-853.
- Khaw KT et al. 2008, "Combined impact of health behaviours and mortality in men and women: the EPIC-Norfolk prospective population study", PLoS medicine 2008;8;5(1):e12:39-47.
- Kjærnes U et al. 2001, Eating patterns. A Day in the Lives of Nordic People, Statens Institutt for Forbruksforskning.
- Kjøller et al. 2007, Folkesundhedsrapporten Danmark, Statens Institut for Folkesundhed, Syddansk Universitet.

- Krarpup K 2005, Prævalensen af risikofaktorer for osteoporose blandt post-menopausale kvinder – en spørgeskemaundersøgelse, Syddansk Universitet.
- Kristensen TS et al. 1998, Selvvurderet helbred og arbejdsmiljø - Er selvvurderet helbred et frugtbart og nyttigt begreb i arbejdsmiljøforskning og forebyggelse?, Arbejdsmiljøfondet.
- Labonte et al. 2002, "Community capacity building: A parallel track for health promotion programs", Canadian Journal of Public Health 2002; 93(3):181-182.
- Lawes CMM et al. 2004, High blood pressure, I: Ezzatti M et al. (Eds.), Comparative Quantification of Health Risks, World Health Organization.
- Lawrence VJ & Kopelman PG 2004, "Medical consequences of obesity", Clinical Dermatology 2004;22:296-302.
- Lean MEJ, Han TS & Morrison CE 1995, "Waist circumference as a measure for indicating need for weight management", British medical Journal 1995;311:158-161.
- Lee CD & Blair SN 2002, "Cardiorespiratory fitness and smoking related and total cancer mortality in men", Medicine & Science in Sports & Exercise 2002;34(5):735-739.
- Linkola J et al. 1978, "Plasma vasopressin in ethanol intoxication and hangover", Acta Physiologica Scandinavica 1978;104:180-187.
- Liu S et al. 2001, "Dietary glycemic load assessed by food-frequency questionnaire in relation to plasma high-density-lipoprotein cholesterol and fasting plasma triacylglycerols in postmenopausal women", American Journal of Clinical Nutrition 2001;73:560-566.
- Løkke A et al. 2006, "Developing COPD a 25 year follow up study of the general population", Thorax 2006;61:935-939.
- Løkke A et al. 2007, "Forekomst af kronisk obstruktiv lungesygdom", Ugeskrift for Læger 2007;169(46):3956-3960.
- Ma Y et al. 2003, "Association between Eating Patterns and Obesity in a Free-living US Adult Population", American Journal of Epidemiology 2003;158(1):85-92.
- Madsen SA, Grønbæk H & Olsen H 2006, "Psyko-logiske aspekter af overvægt", Ugeskrift for Læger 2006;168(2):194-196.
- Mangunkusumo RT et al. 2005, "Internet-administered adolescent health questionnaires compared with a paper version in a randomized study", Journal of Adolescent Health 2005;36(1):70-76.
- Marín-Guerrero AC et al. 2008, "Eating behaviours and obesity in the adult population of Spain", British Journal of Nutrition 2008;100:1142-1148.
- Matthiessen J, Andersen NL & Ovesen LF 2001, "Betydningen af kost og fysisk aktivitet for fedmeudviklingen i Danmark fra 1985 til 1995", Ugeskrift for Læger 2001;163(21):2941-2945.
- Mattson MP 2005, "The need for controlled studies of the effects of meal frequency on health", Lancet 2005;365:1978-1980.
- McLean et al. 2005, Building health promotion capacity – Action from learning, learning from action, UBS Press.

- Mikkelsen PB et al. 2002, Måltidsfrekvens i Skandinavien – den sundhedsmæssige betydning af måltidsfrekvens og mellemmåltider, LU Nordic A/S.
- Mossey JM et al. 1989, "Determinates of recovery 12 months after hip fracture: the importance of psychosocial factors", *American Journal of Public Health* 1989;79(3):279-286.
- Munck A et al. 2002, Osteoporose i almen praksis. Med fokus på forebyggelse af frakturer hos ældre. Klinisk vejledning, Dansk selskab for almen medicin.
- Mølgaard C et al. 2003, Sukkers sundhedsmæssige betydning, Ernæringsrådet.
- Nielsen NR et al. 2004, "Stress bandt erhvervsaktive danskere", *Ugeskrift for læger* 2004;166(46):4155-4160.
- Nishiyama M et al. 2009, "The Combined Unhealthy Behavior of Breakfast Skipping and smoking Are Associated with the Prevalence of diabetes mellitus", *Tohoku Journal of Experimental Medicine* 2009;218:259-264.
- Oleksik A et al. 2000, "Health-related quality of life in postmenopausal women with low BMD or without prevalent vertebral fractures", *Journal of Bone and Mineral Research* 2000;15(7):1384-1392.
- Ovesen L et al. 2002, Frugt, grønt og helbred, Opdatering af vidensgrundlaget, Fødevarerdirektoratet.
- Parker C & Dewey M 2000, "Assessing research outcomes by postal questionnaire with telephone follow-Up", *International Journal of Epidemiology* 2000;29(6):1065-1069.
- Pawan GL 1973, "Alcoholic drinks and hangover effects", *Proceedings of the Nutrition Society* 1973;32:15A.
- Pedersen BK 2003, "Hellere fed og fit end tynd og tam", *Ugeskrift for Læger* 2003;165(51):4947-4950.
- Pedersen BK 2006, "Fitness, fysisk aktivitet og død af alle årsager". *Ugeskrift for Læger* 2006;168(2):137-144.
- Pedersen BK & Saltin B 2003, Fysisk aktivitet – håndbog om forebyggelse og behandling, Sundhedsstyrelsen, Center for Forebyggelse.
- Pedersen BK & Saltin B 2006, "Evidence for prescribing exercise as therapy in chronic disease", *Scandinavian Journal of Medicine & Science in Sports* 2006;16(suppl.1):3-63.
- Poulsen L, Brixen K & Munck A 2008, "Forebyggelse af frakturer hos ældre over 60 år i almen praksis", *Månedsskrift for Praktisk Lægegerning* 2008;86:455-462.
- Rehm J 1998, "Measuring quantity, frequency and volume of drinking", *Alcoholism, Clinical and Experimental Research* 1998;22:4-14.
- Rejnmark L et al. 2009, Vejledning til udredning og behandling af Osteoporose, Dansk Knoglemedicinsk Selskab.
- Richelsen B 1991, "Health risks of obesity. Significance of the regional distribution of adipose tissue", *Ugeskrift for Læger* 1991;25;153(13):908-913.
- Simonsen MK et al. 2008, "A prospective study of association between weight changes and self-rated health", *BioMed Central Women's Health* 2008;13(2):135-142.

Skibsted LH et al. 2006, Antioxidanter og helbred, Motions- og Ernæringsrådet.

Statens Institut for Folkesundhed 2005, Sundheds- og sygelighedsundersøgelsen 2005 (SUSY-2005), Statens Institut for Folkesundhed.

Sørensen TIA 2001, "Fedmens enkle paradigmer", Ugeskrift for Læger 2001;163(21):2903.

Thompson PD et al. 2003, "Exercise and Physical Activity in the Prevention and Treatment of Atherosclerotic Cardiovascular Disease". A Statement from the Council on Clinical Cardiology and the Council on Nutrition, Physical Activity, and Metabolism, *Circulation* 107(24):3109-3116.

Thorpe JA & Steel SA 2008, "The Alara Metriscan phalageal densitometer: evaluation and triage thresholds", *The British Journal of Radiology* 2008;81:778-783.

Tourangeau R & Yan T 2007, "Sensitive questions in surveys", *Psychological Bulletin* 2007;133(5):859-883.

van Dam RM et al. 2008, "Combined impact of lifestyle factors on mortality: prospective cohort study in US women", *British Medical Journal* 2008;16;337:a1440-a1448.

Van der Heijden AAWA et al. 2007, "A Prospective Study of Breakfast Consumption and weight gain among U.S. Men", *Obesity* 2007;15(10):2463-2469.

Vestergaard P, Rejnmark L & Mosekilde L 2007, "Increased mortality in patients with a hip fracture-effect of pre-morbid conditions and post-fracture complications", *Osteoporosis international* 2007;18:1583-1593.

Vestergaard P, Rejnmark L & Mosekilde L 2005, "Osteoporosis is markedly underdiagnosed: a nationwide study from Denmark", *Osteoporosis international* 2005;16(2):134-141.

Warburton DER, Nicol CW & Bredin SSD 2006, "Health benefits of physical activity: the evidence", *Canadian Medical Association Journal* 2006;174(6):801-809

Wei M et al. 1999, "The Association between Cardiorespiratory Fitness and Impaired Fasting Glucose and Type 2 Diabetes Mellitus in Men", *Annals of Internal Medicine* 1999;130(2):89-96

Wiese JG, Shlipak MG & Browner WS 2000, "The alcohol hangover", *Annals of Internal Medicine* 2000; 132: 897-902.

World Health Organization 1994, Assessment of fracture risk and its application to screening for postmenopausal osteoporosis: report of the WHO study group.

World Health Organization 1999, "International Society of Hypertension Guidelines for the Management of Hypertension. Guidelines Subcommittee", *Journal of Hypertension* 1999;17:151-183.

World Health Organization 2000, Obesity: Preventing and Managing the Global Epidemic.

World Health Organization 2002, Reducing risks, promoting healthy life.

World Health Organisation 2003, Diet, nutrition and the prevention of chronic diseases.

Aadahl M, Kjær M & Jørgensen T 2007, "Associations between overall physical activity level and cardiovascular risk factors in an adult population", *European Journal of Epidemiology* 2007; 22:369-378.

Åstrand P-O & Rodahl K 1986, Textbook of work physiology, 3rd ed. McGraw Hill 1986;363-384.